



- LEGEND**
- ⊙ FIXTURE - CEILING
 - ⊙+ FIXTURE - WALL MOUNTED
 - ⊠ RECESSED CAN
 - ⊠ MONO POINT/LOW EFF. SPOT
 - TRACK LIGHTING
 - FLUORESCENT
 - ⊠ STEP LIGHT
 - ⊙ POOL LIGHT
 - ⊙ FIXTURE - LANDSCAPE
 - ⊙ SWITCH
 - ⊙³ SWITCH - THREE WAY
 - ⊙ SWITCH - DIMMER
 - ⊙ SWITCH - MOTION SENSOR W/ AUTO OFF
 - ⊠ MOTION SENSOR - WALL MOUNT
 - ⊙ MOTION SENSOR - CEILING MOUNT
 - ⊙ 110V OUTLET - WALL
 - ⊙ 110V OUTLET - FLOOR
 - ⊙ 110V OUTLET - CEILING
 - ⊙^{220V} 220V OUTLET
 - ⊙ GAS
 - ⊠ TV/CABLE
 - ⊙ TELEPHONE (MULTI-LINE)
 - X X = LINE
 - ⊙ SMOKE DETECTOR
 - ⊙ CEILING FAN
 - ⊙ EXHAUST FAN
 - ⊠ SUPPLY DUCT
 - ⊠ HOSE BIB
 - SHOWER CONTROLS
 - ⊠ SHOWER HEAD

- NOTES**
- GFI = GROUND FAULT INTERRUPT
 - LV = LOW VOLTAGE
 - P = PENDANT
 - WP = WATER PROOF
 - MS = MOTION SENSOR
 - LS = LIGHT SENSOR

- GENERAL NOTES**
1. CONTRACTOR TO ORGANIZE A WALK-THROUGH WITH THE OWNER & ARCHITECT PRIOR TO LAYOUT OF ELECTRICAL DEVICES
 2. CENTER LINE OF OUTLETS @ 12" A.F.F., TYP. U.O.N.
 3. CENTER LINE OF SWITCHES @ 42" A.F.F., TYP. U.O.N.
 4. TELEPHONE AND OTHER DEVICES TO ALIGN WITH ADJACENT DEVICES U.O.N.
 5. FOR MOTION SENSORS:
 - a. ALL SENSOR LOCATIONS ARE APPROXIMATE. REFER TO MANUFACTURER'S INSTALLATION INSTRUCTIONS PRIOR TO INSTALLATION. IF PENDANT MOUNTED FIXTURES ARE PRESENT, LOCATION AND COVERAGE OF SENSORS SHOULD BE REVIEWED.
 - b. ULTRASONIC CEILING MOUNT SENSORS REQUIRE THEY BE LOCATED NO CLOSER THAN 6' TO AIR SUPPLY/RETURN REGISTERS.
 - c. CONTRACTOR IS RESPONSIBLE FOR PROPER SENSITIVITY AND THE TIME DELAY SETTINGS, VERIFICATION OF MANUFACTURER'S RECOMMENDED PLACEMENT, AND FIELD VERIFICATION OF CIRCUITS WITH RESPECT TO POWER PACK PLACEMENT.
 - d. CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFICATION OF REQUIRED NUMBER OF POWER PACKS.
 - A. ONE POWER PACK IS REQUIRED FOR EACH CIRCUIT THAT IS TO BE CONTROLLED.
 - B. MAXIMUM NUMBER OF SENSORS THAT CAN BE WIRED IN PARALLEL TO A SINGLE POWER PACK IS DEPENDENT ON SENSOR MODEL (SEE INDIVIDUAL DATA SHEETS FOR mA CONSUMPTION).

1 ELECTRICAL FLOOR PLAN - LOWER LEVEL
 E2.0 SCALE: 1/4" = 1'-0"

ARKIN • TILT ARCHITECTS

Ecological
Planning
& Design

1101 8th St.
Suite 180
Berkeley, CA 94710

telephone
510.528.9830

facsimile
510.528.0206

e mail
info@arkintilt.com

website
www.arkintilt.com

NEW RESIDENCE for
CINDY BICKERSTAFF & MARK HOLLER
 1871 MOUNT VEEDEER ROAD
 NAPA, CA 94558
 A.P.N. 34-110-47

ELECTRICAL PLAN
 LOWER LEVEL

DATE:	01.30.06
JOB:	BH
SCALE:	AS NOTED
DRAWN:	
SHEET:	E2.0